COMMENT

Open Access

Early cardiovascular prevention: the crucial role of nurse-led intervention



Anna Vittoria Mattioli^{1,2*} and Sabina Gallina^{2,3}

Abstract

The present comment on Qiu's work intends to emphasize two points: (1) Cardiovascular prevention must start early due to the progressive nature of atherosclerosis. (2) growing evidence that coaching performed by nurses leads to effective results. Nurses can intercept the young population who must be sensitized and educated about prevention.

Keywords Prevention, Nurse, Cardiovascular, Women, Stress, Pregnancy

Growing evidence underlines the efficacy of nurse-led intervention in cardiovascular prevention and management of patients with cardiovascular disease (CVD). The article "Nurse-led intervention in the management of patients with cardiovascular diseases: A brief literature review" by Qiu X. analyzes the role of nurses in promoting cardiovascular prevention and in educating patients about correct lifestyles.

There are two points that need to be stressed: (1) Cardiovascular prevention must start early due to the progressive nature of atherosclerosis. (2) the growing evidence that coaching performed by nurses leads to effective results.

Cardiovascular prevention is essential to reduce the impact of cardiovascular disease and for this reason it

Comment on the article "Nurse-led intervention in the management of patients with cardiovascular diseases: A brief literature review" Category 1

*Correspondence:

Anna Vittoria Mattioli

annavittoria.mattioli@unimore.it

¹Department of Medical and Surgical Sciences for Children and Adults, University of Modena and Reggio Emilia, Via del pozzo, 71, Modena 41100, Italy

²Istituto Nazionale per le Ricerche Cardiovascolari, Bologna, Italy ³Department of Neuroscience, Imaging and Clinical Sciences, "G. d'Annunzio" University of Chieti-Pescara, Chieti, Italy must be pursued throughout the life course starting from the youngest age. [1, 2] Healthy lifestyles promote longevity but must be adopted early. [1, 3]

The Life's Simple 7 framework, initially introduced in 2010 by the American Heart Association (AHA), is a set of seven lifestyle factors that are essential for maintaining good cardiovascular health. These factors include: healthy diet, physical activity, no smoking, normal value of body mass index; keeping blood pressure, lipid and bold sugar levels under control. [1] In an update to the framework, the AHA included an eighth factor called sleep health, resulting in the Life's Essential 8 framework. [4] Adequate sleep is now recognized as an important factor for cardiovascular health, as poor sleep quality and duration have been associated with an increased risk of heart disease and other cardiovascular conditions. By assessing and addressing these eight factors, individuals can adopt a comprehensive approach to promote cardiovascular health and reduce the risk of developing cardiovascular diseases. Prevention is easily adopted in adults after an acute event, while it is much more difficult to promote these habits to young people. It is necessary to intercept young people in the various stages of life to inform them about the risks and educate them, if necessary, on healthy lifestyles. A key moment in the life of young women is pregnancy. [4, 5] In this stage of life, adopting a lifestyle



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence are only our intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

suitable for the health of the woman and the fetus is easy and can be the basis for adopting fundamental behaviors for the prevention of chronic diseases. [4-8] Furthermore, a good pre-pregnancy cardiovascular health reduces the risk of complications during pregnancy for both women and the fetus. During pregnancy, counseling can be effective and give long-term results. Undoubtedly the role of the nurse is central in the management of such a delicate phase. [8-11] In a recent survey Jackson and colleagues found that over 50% of women feel they have not received nutritional counseling or are dissatisfied with nutritional counseling during pregnancy. Perception and satisfaction differ across demographics or socioeconomic status. [7] Women are known to suffer from the impact of social determinants on cardiovascular disease more than men. Social determinants on health (SDoH) refers to the social, economic, and environmental factors that influence health outcomes. [12] These factors can have a profound impact on an individual's risk of developing CVD. [12] Social isolation, loneliness, discrimination, neighborhood socioeconomic status, violence, and environmental attributes, all fall under the umbrella of SDoH and can contribute to the development and progression of CVD. [12]

Social isolation, fewer social roles, and loneliness can lead to increased stress levels, depression, and unhealthy behaviors, which in turn can contribute to the development of CVD. [13] Discrimination and ethnicity can influence access to healthcare services and resources, leading to disparities in CVD outcomes among different population groups.

Neighborhood socioeconomic status plays a crucial role in health outcomes, including CVD. Lower socioeconomic status is associated with limited access to healthy food options, opportunities for physical activity, and quality healthcare, all of which can increase the risk [14, 15].

Violence and environmental attributes, such as exposure to pollution or lack of green spaces, can also have negative effects on cardiovascular health. Violence and high levels of pollution have been linked to increased stress, inflammation, and hypertension, which are risk factors for CVD. [16–19] Economic circumstances, including income and education level, are important SDoH factors that influence cardiovascular health. Lower socioeconomic status can impact access to healthcare, medication adherence, and lifestyle choices, all of which contribute to CVD risk.

Additionally, early childhood development has been identified as a significant SDoH factor in CVD. Adverse childhood experiences, socioeconomic disadvantages during childhood, and limited access to quality education and healthcare can have long-lasting effects on cardiovascular health in adulthood. [19] Understanding and addressing these social determinants is critical to promoting cardiovascular health and reducing health disparities, and the majority of evidence points to nurses having a role in this action. The other challenge is that women have a reduced perception of their cardiovascular risk and coaching is essential to lead them towards effective prevention. This is a prevention objective that assigns a central role to nurses. Several evidences suggest that coaching carried out by nurses is very effective. [7–9, 20-22].

In conclusion, the nurse led intervention has an important role in cardiovascular prevention especially in the most fragile populations and in women. Early prevention is more effective. Public health must promote actions aimed at intercepting young people and fragile populations.

Acknowledgements

Not applicable.

Author contributions

AVM and SG developed the idea behind the report; contributed writing; have reviewed the final draft and approve the final version.

Funding

The study was supported by the Istituto Nazionale per le Ricerche Cardiovascolari. Project "WEAR-being Women".

Data Availability

No data.

Declarations

Authors disclosure

No conflict of interest

Ethics approval and consent to participate Not applicable.

Competing interests

The authors declare no competing interests.

Consent for publication

Not applicable.

Received: 14 July 2023 / Accepted: 13 September 2023 Published online: 02 October 2023

References

- Lloyd-Jones DM, Hong Y, Labarthe D, on behalf of the American Heart Association Strategic Planning Task Force and Statistics Committee, et al. Defining and setting national goals for cardiovascular health promotion and disease reduction: the American Heart Association's strategic impact goal through 2020 and beyond. Circulation. 2010;121:586–613. https://doi.org/10.1161/ CIRCULATIONAHA.109.192703.
- D'Ascenzi F, Sciaccaluga C, Cameli M, et al. When should cardiovascular prevention begin? The importance of antenatal, perinatal and primordial prevention. Eur J Prev Cardiol. 2021;28(4):361–9. https://doi. org/10.1177/2047487319893832.
- Sethi Y, Patel N, Kaka N, et al. Precision Medicine and the future of Cardiovascular Diseases: a clinically oriented Comprehensive Review. J Clin Med.

2023;12(5):1799. https://doi.org/10.3390/jcm12051799. Published 2023 Feb 23.

- 4. Khan SS, Brewer LC, Canobbio MM, American Heart Association Council on Epidemiology and Prevention; Council on Clinical Cardiology; Council on Cardiovascular and Stroke Nursing; Council on Arteriosclerosis, Thrombosis and Vascular Biology; Council on Hypertension; Council on Lifestyle and Cardiometabolic Health; Council on Peripheral Vascular Disease; and Stroke Council, et al. Optimizing Prepregnancy Cardiovascular Health to improve outcomes in pregnant and Postpartum individuals and offspring: a Scientific Statement from the American Heart Association. Circulation. 2023;147(7):e76–e91. https://doi.org/10.1161/CIR.00000000001124.
- Mehta LS, Sharma G, Creanga AA, on behalf of the American Heart Association Advocacy Coordinating Committee, et al. Call to action: maternal health and saving mothers: a policy statement from the American Heart Association. Circulation. 2021;144:e251–69. https://doi.org/10.1161/ CIR.00000000000100.
- Mattioli AV, Moscucci F, Sciomer S. Cardiovascular prevention in women: un update by the italian society of Cardiology Working Group on Prevention, Hypertension and peripheral disease. J Cardiovasc Med (Hagerstown). 2023;24(Suppl 2):e147–55. https://doi.org/10.2459/JCM.000000000001423.
- Jackson H, Stickler E, Biddle S, Trilk JL. Do pregnant women perceive being counseled about Nutrition by Healthcare Providers? A cross-sectional study of the Recall and satisfaction of Nutrition Counseling of Patients throughout the course of their pregnancy. Am J Lifestyle Med. 2023;0(0). https://doi. org/10.1177/15598276231172886.
- Mattioli AV, Coppi F, Bucciarelli V, Gallina S. Cardiovascular risk stratification in young women: the pivotal role of pregnancy. J Cardiovasc Med (Hagerstown) 2023 in press.
- Price A, Bryson H, Mensah FK, et al. Embedding nurse home visiting in universal healthcare: 6-year follow-up of a randomised trial [published online ahead of print, 2023 Jun 30]. Arch Dis Child. 2023. https://doi.org/10.1136/ archdischild-2023-325662. archdischild-2023-325662.
- Fussi N, Mandoura N. Perceptions and beliefs about Preconceptional Care among Primary Healthcare Workers in Jeddah City, Saudi Arabia: an Analytical Cross-Sectional Study. Cureus. 2023;15(6):e41178. https://doi.org/10.7759/ cureus.41178. Published 2023 Jun 30.
- Simsek-Cetinkaya Ş, Evrenol Ocal S. Psychological injuries are not visible: experiences and perceptions of midwives and nurses about domestic violence during pregnancy [published online ahead of print, 2023 Jun 22]. Clin Nurs Res. 2023;10547738231182190. https://doi. org/10.1177/10547738231182190.
- Teshale AB, Htun HL, Owen A, et al. The role of Social Determinants of Health in Cardiovascular Diseases: an Umbrella Review. J Am Heart Assoc. 2023;12(13):e029765. https://doi.org/10.1161/JAHA.123.029765.

- Mattioli AV, Coppi F, Nasi M, Gallina S. Stress and cardiovascular risk burden after the pandemic: current status and future prospects. Expert Rev Cardiovasc Ther. 2022;20(7):507–13. https://doi.org/10.1080/14779072.2022.209209
- Mannoh I, Hussien M, Commodore-Mensah Y, Michos ED. Impact of social determinants of health on cardiovascular disease prevention. Curr Opin Cardiol. 2021;36:572–9. https://doi.org/10.1097/HCO.00000000000893.
- Shea BJ, Reeves BC, Wells G, Thuku M, Hamel C, Moran J, Moher D, Tugwell P, Welch V, Kristjansson E, et al. Amstar 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. BMJ. 2017;358;j4008. 0.1136/bmj.j4008.
- Doran F, van de Mortel T. The influence of an educational intervention on nursing students' domestic violence knowledge and attitudes: a pre and post intervention study. BMC Nurs. 2022;21:109. https://doi.org/10.1186/ s12912-022-00884-4.
- Spencer C, Sitarz J, Fouse J, et al. Nurses' rationale for underreporting of patient and visitor perpetrated workplace violence: a systematic review. BMC Nurs. 2023;22:134. https://doi.org/10.1186/s12912-023-01226-8.
- Mattioli AV, Migaldi M, Farinetti A. Coffee in hypertensive women with asymptomatic peripheral arterial disease: a potential nutraceutical effect. J Cardiovasc Med (Hagerstown). 2018;19(4):183–5. https://doi.org/10.2459/ JCM.0000000000626.
- Kalmakis KA, Chandler GE. Health consequences of adverse childhood experiences: a systematic review. J Am Assoc Nurse Pract. 2015;27:457–65. https:// doi.org/10.1002/2327-6924.12215.
- Yuksel M, Bektas H, Ozer ZC. The effect of nurse-led diabetes self-management programmes on glycosylated haemoglobin levels in individuals with type 2 diabetes: a systematic review [published online ahead of print, 2023 Jul 2]. Int J Nurs Pract. 2023;e13175. https://doi.org/10.1111/ijn.13175.
- Richardson C, Wicking K, Biedermann N, Langtree T. Coaching in nursing: an integrative literature review [published online ahead of print, 2023 Jun 26]. Nurs Open. 2023. https://doi.org/10.1002/nop2.1925.
- Barr JA, Tsai LP. Health coaching provided by registered nurses described: a systematic review and narrative synthesis. BMC Nurs. 2021;20:74. https://doi. org/10.1186/s12912-021-00594-3.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.